

Student Name:

Date:

Academic Year	2025-2026	Term	1	Subject	Math\Reveal
Grade\stream	9\Advanced	Number Of MCQ	20	Marks Of MCQ	(2-4)
Maximum over Grade	100	Number Of FRQ	6	Marks Of FRQ	(5-10)
Exam Duration	150 min	Mode of Implementation	SwiftAssess & Paper-Based		
Calculator	Allowed	الآلة الحاسبة	مسموحة		

Question السؤال	Lesson الدرس	Example/Exercise مثال/تمرين	Page الصفحة
الأسئلة الموضوعية - MCQ	1	Solve multi-step linear inequalities	(16-21) 354
	2	Solve equations involving more than one operation	(1-12) 88
	3	Calculate and interpret slope	(38-45) 226
	4	Solve and graph linear inequalities containing the word and	(1-10) 363
	5	Solve proportions	(61-66) 115
	6	Graph the solutions of linear inequalities in two variables.	(1-8) 379
	7	Solve multi-step linear inequalities	(16-21) 354
	8	Solve absolute value equations	(11-18) 105
	9	Graph and interpret linear functions.	(15-18),(29-30) 235,236
	10	Create and identify equations of parallel or perpendicular lines.	(25-30) 304
	11	Identify and graph piecewise-defined function	ex1 259 – -18 (a,b,c,d) 265
	12	Translate sentences into equations	(9-14) 71
	13	Solve absolute value expressions	(19-21) 106
	14	Graph and interpret linear functions.	check A,B,C,D,E,F 233 (37-39) 236
	15	Apply the arithmetic sequence formula	(19-22) 255
	16	Apply translations to linear functions	(1-6) 247
	17	Graph the solutions of an equality	ex1,ex4 341,343 (13-20) 347
	18	Find inverses of linear functions	(16-21) 332
	19	Write an equation of a line in slope-intercept form given two points	(11-16) 291
	20	Solve linear inequalities by using addition	ex2,ex3 352 (16-21) 354
الأسئلة المقالية - FRQ	21	Prove that equations are identities or have no solution	(25-36) 98
	22	Graph linear functions by using the x- and y-intercepts	(9-14) 216
	23	Solve equations for specific variables.	(19-22) 125
	24	Create and identify equations of parallel or perpendicular lines	(31-36) 304
	25	Calculate and interpret rate of change. Apply translations to absolute value functions	(7-12) 277
	26	Solve absolute value inequalities (>)	(7-12) 371
"Attached are the Mathematics structure questions – Please ensure the correctness of the questions and page numbers from the structure guide in the LMS and the student textbook – I wish you all the best and success."		مرفق أسئلة هيكل الرياضيات - الرجاء التأكد من صحة الأسئلة وأرقام الصفحات من الهيكل في بوابة التعلم الذكي والكتاب المدرسي - أتمنى لكم التوفيق والنجاح.	

Student Name:

Date:

الأسئلة الموضوعية - MCQ

1	Solve multi-step linear inequalities	(16-21)	354
---	--------------------------------------	---------	-----

Lesson 6-2**Solving Multi-Step Inequalities****Solve each inequality. Then graph the solution on a number line.**

16. $-3(7n + 3) < 6n$

17. $21 \geq 3(a - 7) + 9$

18. $2y + 4 > 2(3 + y)$

19. $3(2 - b) < 10 - 3(b - 6)$

20. $7 + t \leq 2(t + 3) + 2$

21. $8a + 2(1 - 5a) \leq 20$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
2	Solve equations involving more than one operation	(1-12)	88

Lesson 2-3 Solving Multi-Step Equations

Use properties of equality to solve each equation. Check your solution.

1. $3t + 7 = -8$

2. $8 = 16 + 8n$

3. $-34 = 6m - 4$

4. $9x + 27 = -72$

5. $\frac{y}{5} - 6 = 8$

6. $\frac{f}{-7} - 8 = 2$

Student Name:

Date:

7. $1 + \frac{r}{9} = 4$

8. $\frac{k}{3} + 4 = -16$

9. $\frac{n-2}{7} = 2$

10. $14 = \frac{6+z}{-2}$

11. $-11 = \frac{a-5}{6}$

12. $\frac{22-w}{3} = -7$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
3	Calculate and interpret slope	(38-45)	226

Lesson 4-2 Rate of Change and Slope

Find the value of r so the line that passes through each pair of points has the given slope.

38. $(12, 10), (-2, r), m = -4$

39. $(r, -5), (3, 13), m = 8$

40. $(3, 5), (-3, r), m = \frac{3}{4}$

41. $(-2, 8), (r, 4), m = -\frac{1}{2}$

42. $(r, 3), (5, 9), m = 2$

43. $(5, 9), (r, -3), m = -4$

44. $(r, 2), (6, 3), m = \frac{1}{2}$

45. $(r, 4), (7, 1), m = \frac{3}{4}$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
4	Solve and graph linear inequalities containing the word and	(1-10)	363

Lesson 6-3 Solving Compound Inequalities

Solve each compound inequality. Then graph the solution set.

1. $f - 6 < 5$ and $f - 4 \geq 2$

2. $n + 2 \leq -5$ and $n + 6 \geq -6$

3. $y - 1 \geq 7$ or $y + 3 < -1$

4. $t + 14 \geq 15$ or $t - 9 < -10$

5. $-5 < 3p + 7 \leq 22$

Student Name:

Date:

6. $-3 \leq 7c + 4 < 18$

7. $5h - 4 \geq 6$ and $7h + 11 < 32$

8. $22 \geq 4m - 2$ or $5 - 3m \leq -13$

9. $-y + 5 \geq 9$ or $3y + 4 < -5$

10. $-4a + 13 \geq 29$ and $10 < 6a - 14$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
5	Solve proportions	(61-66)	115

Lesson 2-6**Solving Proportions**

Solve each proportion. If necessary, round to the nearest hundredth.

61. $\frac{m-2}{4} = \frac{5}{20}$

62. $\frac{9}{5} = \frac{3}{x+7}$

63. $\frac{5}{b} = \frac{3}{b-6}$

64. $\frac{2p+3}{3} = \frac{4p-7}{2}$

65. $\frac{3y+4}{5} = \frac{y-1}{4}$

66. $\frac{2}{w} = \frac{7}{w+5}$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
6	Graph the solutions of linear inequalities in two variables.	(1-8)	379

Lesson 6-5 **Graphing Inequalities in Two Variables****Graph each inequality.**

1. $y < x - 3$

2. $y > x + 12$

3. $y \geq 3x - 1$

4. $y \leq -4x + 12$

5. $6x + 3y > 12$

Student Name:

Date:

6. $2x + 2y < 18$

7. $5x + y > 10$

8. $2x + y < -3$

الأسئلة الموضوعية - MCQ			
7	Solve multi-step linear inequalities	(16-21)	354

Lesson 6-2 Solving Multi-Step Inequalities

Solve each inequality. Then graph the solution on a number line.

16. $-3(7n + 3) < 6n$

17. $21 \geq 3(a - 7) + 9$

Student Name:

Date:

18. $2y + 4 > 2(3 + y)$

19. $3(2 - b) < 10 - 3(b - 6)$

20. $7 + t \leq 2(t + 3) + 2$

21. $8a + 2(1 - 5a) \leq 20$

الأسئلة الموضوعية - MCQ			
8	Solve absolute value equations	(11-18)	105

Lesson 2-5**Solving Equations****Involving Absolute Value****Solve each equation.**

11. $|7 - 2q| = 3$

12. $|4x - 2| = 26$

Student Name:

Date:

13. $|w + 1| = 5$

14. $|n + 2| = -1$

15. $|m - 2| = 2$

16. $|5c - 3| = 1$

17. $|2t + 6| = 4$

18. $|8k - 5| = -4$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
9	Graph and interpret linear functions.	(15-18),(29-30)	235,236

Lesson 4-3

Slope-Intercept Form

- 15. SAVINGS** Wade's grandmother gave him \$100 for his birthday. Wade wants to save his money to buy a portable game console that costs \$275. Each month, he adds \$25 to his savings. Write an equation in slope-intercept form to represent Wade's savings y after x months.
- 16. FITNESS CLASSES** Toshelle wants to take strength training classes at the community center. She has to pay a one-time enrollment fee of \$25 to join the community center, and then \$45 for each class she wants to take. Write an equation in slope-intercept form for the cost of taking x classes.
- 17. EARNINGS** Macario works part time at a clothing store in the mall. He is paid \$9 per hour plus 12% commission on the items he sells in the store. Write an equation in slope-intercept form to represent Macario's hourly wage y .
- 18. ENERGY** From 2002 to 2005, U.S. consumption of renewable energy increased an average of 0.17 quadrillion BTUs per year. About 6.07 quadrillion BTUs of renewable power were produced in the year 2002. Write an equation in slope-intercept form to find the amount of renewable power P in quadrillion BTUs produced in year y between 2002 and 2005.

Student Name:

Date:

29. STREAMING An online company charges \$13 per month for the basic plan. They offer premium channels for an additional \$8 per month.

- a. Write an equation in slope-intercept form for the total cost c of the basic plan with p premium channels in one month.
- b. Graph the equation.
- c. What would the monthly cost be for a basic plan plus 3 premium channels?

30. CAR CARE Suppose regular gasoline costs \$2.76 per gallon. You can purchase a car wash at the gas station for \$3.

- a. Write an equation in slope-intercept form for the total cost y of purchasing a car wash and x gallons of gasoline.
- b. Graph the equation.
- c. Find the cost of purchasing a car wash and 8 gallons of gasoline.

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
10	Create and identify equations of parallel or perpendicular lines.	(25-30)	304

Lesson 5-2 Writing Equations in Standard and Point-Slope Forms

Write an equation in slope-intercept form for the line that passes through the given point and is parallel to the graph of the equation. Then write an equation for the line that passes through the given point and is perpendicular to the graph of the equation.

25. $(3, -2); y = x + 4$

26. $(4, -3); y = 3x - 5$

27. $(0, 2); y = -5x + 8$

28. $(-4, 2); y = -\frac{1}{2}x + 6$

29. $(-2, 3); y = -\frac{3}{4}x + 4$

30. $(9, 12); y = 13x - 4$

Student Name:

Date:

الأسئلة الموضوعية - MCQ

11	Identify and graph piecewise-defined function	ex1 -18 (a,b,c,d)	259 – 265
----	---	----------------------	--------------

Lesson 4-6

Piecewise and Step Functions

Example 1 Graph a Piecewise-Defined Function


To graph a piecewise-defined function, graph each “piece” separately.

Graph $f(x) = \begin{cases} 2x + 4 & \text{if } x \leq 1 \\ -x + 3 & \text{if } x > 1 \end{cases}$. State the domain and range.

First, graph $f(x) = 2x + 4$ if $x \leq 1$.

- Create a table for $f(x) = 2x + 4$ using values of $x \leq 1$.
- Because x is *less than or equal to* 1, place a dot at (1, 6) to indicate that the endpoint is included in the graph.
- Then, plot the points and draw the graph beginning at (1, 6).


x	y
1	6
0	4
-1	2
-2	0
-3	-2



Next, graph $f(x) = -x + 3$ if $x > 1$.

- Create a table for $f(x) = -x + 3$ using values of $x > 1$.
- Because x is *greater than but not equal to* 1, place a circle at (1, 2) to indicate that the endpoint is not included in the graph.
- Then, plot the points and draw the graph beginning at (1, 2).

x	y
1	2
2	1
3	0
4	-1
5	-2



The domain is all real numbers. The range is $y \leq 6$.

Student Name:

Date:

18. STRUCTURE Suppose $f(x) = 2[x - 1]$.

a. Find $f(1.5)$.

b. Find $f(2.2)$.

c. Find $f(9.7)$.

d. Find $f(-1.25)$.

الأسئلة الموضوعية - MCQ

12	Translate sentences into equations	(9-14)	71
----	------------------------------------	--------	----

Lesson 2-1

Writing and Interpreting Equations

Translate each sentence into an equation or formula.

9. Twice a increased by the cube of a equals b .
10. Seven less than the sum of p and t is as much as 6.
11. The sum of x and its square is equal to y times z .
12. Four times the sum of f and g is identical to six times g .
13. The area A of a square is the length of a side ℓ squared.
14. The perimeter P of a triangle is equal to the sum of the lengths of sides a , b , and c .

Student Name:

Date:

الأسئلة الموضوعية - MCQ

13	Solve absolute value expressions	(19-21)	106
----	----------------------------------	---------	-----

Lesson 2-5**Solving Equations****Involving Absolute Value**

- 19. ENGINEERING** *Tolerance* is an allowance made for imperfections in a manufactured object. The manufacturer of an oven specifies a temperature tolerance of $\pm 15^{\circ}\text{F}$. This means that the temperature inside the oven will be within 15°F of the temperature to which it is set. Write and solve an absolute value equation to find the maximum and minimum temperatures inside the oven when the thermostat is set to 400°F .
- 20. POLLS** Candidate A and Candidate B are running for mayor. A poll was taken to determine which candidate would likely win the election. The poll is accurate within $\pm 5\%$. Write and solve an absolute value equation to find the maximum and minimum percent of voters who will vote for Candidate A if 38% of the voters in the poll voted for Candidate A.
- 21. STATISTICS** The most familiar statistical measure is the arithmetic mean, or average. A second important statistical measure is the standard deviation, which is a measure of how far the data are from the mean. For example, the mean score on the Wechsler IQ test is 100 and the standard deviation is 15. This means that people within one standard deviation of the mean have IQ scores that are 15 points higher or lower than the mean.
- One year, the mean mathematics score on the ACT test was 20.9 with a standard deviation of 5.3. Write an absolute value equation to find the maximum and minimum scores within one standard deviation of the mean.
 - What is the range of ACT mathematics scores within one standard deviation of the mean? within two standard deviations of the mean?

Student Name:

Date:


الأسئلة الموضوعية - MCQ

14	Graph and interpret linear functions.	check A,B,C,D,E,F (37-39)	233 236
----	---------------------------------------	------------------------------	------------


Lesson 4-3 Slope-Intercept Form



Match each graph with its equation.

$\underline{\quad} y = 8$	$\underline{\quad} 3x + 7y = -28$	$\underline{\quad} y = \frac{3}{7}x - 4$
$\underline{\quad} y = -4$	$\underline{\quad} y = -3x + 8$	$\underline{\quad} 3x - y = 8$



Write an equation in slope-intercept form for each graph shown.





MCQ - الأسئلة الموضوعية			
15	Apply the arithmetic sequence formula	(19-22)	255

Lesson 4-5 **Arithmetic Sequences**

Use the given arithmetic sequence to write an equation and then find the 7th term of the sequence.

19. $-3, -8, -13, -18, \dots$

20. $-2, 3, 8, 13, \dots$

Student Name:

Date:

21. $-11, -15, -19, -23, \dots$


22. $-0.75, -0.5, -0.25, 0, \dots$

الأسئلة الموضوعية - MCQ			
16	Apply translations to linear functions	(1-6)	247


Lesson 4-4 Transformations of Linear Functions

Describe the translation in each function as it relates to the graph of the parent function.

1. $g(x) = x + 11$




2. $g(x) = x - 8$




Student Name:

Date:


3. $g(x) = (x - 7)$




4. $g(x) = (x + 12)$



5. $g(x) = (x + 10) - 1$



6. $g(x) = (x - 9) + 5$



Student Name:

Date:

الأسئلة الموضوعية - MCQ

17	Graph the solutions of an equality	ex1,ex4 (13-20)	341,343 347
----	------------------------------------	--------------------	----------------

Lesson 6-1 Solving One-Step Inequalities

Example 1 Graph Inequalities

Graph the solution set of $y \leq 4$.



The dot at 4 shows that 4 is a solution. The heavy arrow pointing to the left shows that the solution includes all numbers less than 4.

Example 4 Solve Inequalities by Subtracting

Solve $x + 24 \geq 61$.

$$x + 24 \geq 61$$

Original inequality

$$x + 24 - 24 \geq 61 - 24$$

Subtract 24 from each side.

$$x \geq 37$$

Simplify.

The solution set is $\{x | x \geq 37\}$.

Solve each inequality.

13. $m - 4 < 3$

14. $p - 6 \geq 3$

15. $r - 8 \leq 7$

Student Name:

Date:

16. $t - 3 > -8$

17. $b + 2 \geq 4$

18. $13 > 18 + r$

19. $5 + c \leq 1$

20. $-23 \geq q - 30$

Student Name:

Date:

الأسئلة الموضوعية - MCQ		
18	Find inverses of linear functions	(16-21) 332

Lesson 5-6 Inverses of Linear Functions**Find the inverse of each function.**

16. $f(x) = 8x - 5$

17. $f(x) = 6(x + 7)$

18. $f(x) = \frac{3}{4}x + 9$

19. $f(x) = -16 + \frac{2}{5}x$

20. $f(x) = \frac{3x + 5}{4}$

21. $f(x) = \frac{-4x + 1}{5}$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
19	Write an equation of a line in slope-intercept form given two points	(11-16)	291

Lesson 5-1 Writing Equations in Slope-Intercept Form**Write an equation of the line that passes through each pair of points.**

11. $(0, -4), (5, -4)$

12. $(-4, -2), (4, 0)$

13. $(-2, -3), (4, 5)$

14. $(0, 1), (5, 3)$

15. $(-3, 0), (1, -6)$

16. $(1, 0), (5, -1)$

Student Name:

Date:

الأسئلة الموضوعية - MCQ			
20	Solve linear inequalities by using addition	ex2,ex3 (16-21)	352 354

Lesson 6-2 Solving Multi-Step Inequalities

Example 2 Write and Solve a Multi-Step Inequality

Consider the inequality *The opposite of a number divided by two minus seventeen is less than seven.*

Translate the sentence into an inequality.

$$-\frac{x}{2} - 17 < 7$$

Solve the inequality.

$$-\frac{x}{2} - 17 < 7$$

Original inequality

$$-\frac{x}{2} < 24$$

Add 17 to each side.


$$-x < 48$$

Multiply each side by 2.

$$x > -48$$

Divide each side by -1 , reversing the inequality symbol.

Graph the solution on a number line.



Example 3 Solve an Inequality with the Distributive Property

Solve the inequality $4(2x - 11) \leq -12 + 2(x - 4)$. Then graph the solution on a number line.

$$4(2x - 11) \leq -12 + 2(x - 4)$$

Original inequality

$$8x - 44 \leq -12 + 2x - 8$$

Distributive Property

$$8x - 44 \leq -20 + 2x$$

Simplify.

$$8x \leq 24 + 2x$$

Add 44 to each side.


$$6x \leq 24$$

Subtract $2x$ from each side.

$$x \leq 4$$

Divide each side by 6.

Graph $x \leq 4$ on a number line.



Student Name:

Date:

Solve each inequality. Then graph the solution on a number line.

16. $-3(7n + 3) < 6n$

17. $21 \geq 3(a - 7) + 9$

18. $2y + 4 > 2(3 + y)$

19. $3(2 - b) < 10 - 3(b - 6)$

20. $7 + t \leq 2(t + 3) + 2$

21. $8a + 2(1 - 5a) \leq 20$

Student Name:

Date:

الأسئلة المقالية - FRQ		
21	Prove that equations are identities or have no solution	(25-36) 98

Lesson 2-4**Solving Equations with the Variable on Each Side**

Solve each equation and state whether the equation has *one solution*, *no solution*, or is an *identity*.

25. $-6y - 3 = 3 - 6y$

26. $\frac{1}{2}(x + 6) = \frac{1}{2}x - 9$

27. $8q + 12 = 4(3 + 2q)$

28. $21(x + 1) - 6x = 15x + 21$

29. $12y + 48 - 4y = 8(y - 6)$

30. $8(z + 6) = 4(2z + 12)$

Student Name:

Date:

31. $2a + 2 = 3(a + 2)$

32. $\frac{1}{4}x + 5 = \frac{1}{4}x$

33. $7(c + 9) = 7c + 63$

34. $4k + 3 = \frac{1}{4}(8k + 16)$

35. $3b - 13 + 4b = 7b + 1$

36. $\frac{1}{2}(\frac{1}{2}m - 8) = \frac{1}{4}(m - 16)$

Student Name:

Date:

الأسئلة المفالية - FRQ			
22	Graph linear functions by using the x- and y-intercepts	(9-14)	216

Lesson 4-1**Graphing Linear Functions****Graph each equation by using the x- and y-intercepts.**

9. $y = 4 + 2x$

10. $5 - y = -3x$

11. $x = 5y + 5$

12. $x + y = 4$

13. $x - y = -3$

14. $y = 8 - 6x$

Student Name:

Date:

الأسئلة المقلية - FRQ			
23	Solve equations for specific variables.	(19-22)	125

Lesson 2-7

Using Formulas

19. **RECTANGLES** The formula $P = 2\ell + 2w$ represents the perimeter of a rectangle.

In this formula, ℓ is the length of the rectangle and w is the width.

- Solve the formula for ℓ .
- Find the length when the width is 4 meters and the perimeter is 36 meters.

20. **BASEBALL** The formula $a = \frac{h}{b}$ can be used to find the batting average a of a batter who has h hits in b times at bat.

- Solve the formula for b .
- If a batter has a batting average of 0.325 and has 39 hits, how many times has the player been at bat?

21. **SHOPPING** Thomas went to the store to buy videogames for \$13.50 each and controllers. The total amount Thomas spent can be represented by $c = 13.50g + p$, where c is the total cost, g is the number of games he bought, and p is the cost of the controllers. The controllers cost \$55 and Thomas spent \$136 total.

- Solve the equation for g .
- Find how many games Thomas bought.

Student Name:

Date:

22. GEOMETRY The volume of a box V is given by the formula $V = \ell wh$, where ℓ is the length, w is the width, and h is the height.

- Solve the formula for h .
- What is the height of a box with a volume of 50 cubic meters, length of 10 meters, and width of 2 meters?

الأسئلة المقالية - FRQ			
24	Create and identify equations of parallel or perpendicular lines	(31-36)	304

Lesson 5-2 Writing Equations in Standard and Point-Slope Forms

Determine whether the graphs of each pair of equations are *parallel*, *perpendicular*, or *neither*.

31. $y = 4x + 3$
 $4x + y = 3$

32. $y = -2x$
 $2x + y = 3$

Student Name:

Date:

33. $3x + 5y = 10$
 $5x - 3y = -6$

34. $-3x + 4y = 8$
 $-4x + 3y = -6$

35. $2x + 5y = 15$
 $3x + 5y = 15$

36. $2x + 7y = -35$
 $4x + 14y = -42$







Student Name:

Date:

الأسئلة المقالية - FRQ			
25	Calculate and interpret rate of change. Apply translations to absolute value functions	(7-12)	277

Lesson 4-7 Absolute Value Functions

Use the graph of the function to write its equation.



Student Name:

Date:

الأسئلة المفالية - FRQ			
26	Solve absolute value inequalities (>)	(7-12)	371

Lesson 6-4 Solving Absolute Value Inequalities**Solve each inequality. Then graph the solution set.**

7. $|r + 2| > 6$

8. $|k - 4| > 3$

9. $|2h - 3| \geq 9$

10. $|4p + 2| \geq 10$

11. $|5v + 3| > -9$

12. $|-2c - 3| > -4$