
Grade 10A

Math EOT QUESTIONS



Visit our channel on Telegram

https://t.me/Agrade_10A

1 Graph and analyze power functions

Page : 79

Example/Exercise : 1 to 6

Describe the end behavior of each function using the leading coefficient and degree, and state the domain and range.

1. $f(x) = 3x^4$

2. $f(x) = -2x^3$


3. $f(x) = -\frac{1}{2}x^5$

4. $f(x) = \frac{3}{4}x^6$

5. **USE A MODEL** The shape of a parabolic reflector inside a flashlight can be modeled by the function $f(x) = \frac{4}{3}x^2$. Graph the function $f(x)$, and state the domain and range.

6. **MACHINE EFFICIENCY** A company uses the function $f(x) = x^3 + 3x^2 - 18x - 40$ to model the change in efficiency of a machine based on its position x. Graph the function and state the domain and range.

https://t.me/Agrade_10A



2 Graph and analyze polynomial functions

Page : 79+80

Example/Exercise : 7 to 21

State the degree and leading coefficient of each polynomial in one variable. If it is not a polynomial in one variable, explain why

7. $n + 8$

8. $(2x - 1)(4x^2 + 3)$

9. $-5x^5 + 3x^3 - 8$


10. $18 - 3y + 5y^2 - y^5 + 7y^6$

11. $u^3 + 4u^2t^2 + t^4$

12. $2r - r^2 + \frac{1}{r^2}$

Example 4

13. **TRIANGLES** Dylan drew n dots on a piece of paper making sure that no set of 3 points were collinear. The number of triangles that can be made using the dots as vertices is equal to $f(n) = \frac{1}{6}(n^3 - 3n^2 + 2n)$, when $n \geq 0$.



a. If Dylan drew 15 dots, how many triangles can be made?

b. Sketch a graph of the function.

https://t.me/Agrade_10A


14. DRILLING The volume of a drill bit can be estimated by the formula for a cone, $V = \frac{1}{3}\pi hr^2$, where h is the height of the bit and r is its radius. Substituting $\frac{\sqrt{3}}{3}r$ for h, the volume of the drill bit can be estimated by $V = \frac{\sqrt{3}}{9}\pi r^3$.

a. What is the volume of a drill bit with a radius of 3 centimeters?


b. Sketch a graph of the function.

Use the graph to state the number of real zeros of the function.


15.




16.




17.




18.



19.




20.




Example 6

21. Examine $f(x) = x^3 - 2x^2 - 4x + 1$ and $g(x)$ shown in the graph.



a. Which function has the greater relative maximum?

b. Compare the zeros, x- and y-intercepts, and end behavior of $f(x)$ and $g(x)$.



https://t.me/Agrade_10A

3 Find extrema of polynomial functions

Page : 89

Example/Exercise : 5 to 11

Use a table to graph each function. Then estimate the x-coordinates at which relative maxima and relative minima occur.

5. $f(x) = -2x^3 + 12x^2 - 8x$

6. $f(x) = 2x^3 - 4x^2 - 3x + 4$

7. $f(x) = x^4 + 2x - 1$

8. $f(x) = x^4 + 8x^2 - 12$

Example 3

9. BUSINESS A banker models the expected value v of a company in millions of dollars by using the formula $v = n^3 - 3n^2$, where n is the number of years in business. Graph the function and describe its key features over the relevant domain.

10. HEIGHT A plant's height is modeled by the function $f(x) = 1.5x^3 - 20x^2 + 85x - 84$, where x is the number of weeks since the seed was planted and $f(x)$ is the height of the plant. Graph the function and describe its key features over its relevant domain.

Example 4

11. USE ESTIMATION The table shows U.S. car sales in millions of cars. Use a graphing calculator to make a scatter plot and a curve of best fit to show the trend over time. Then use the equation to estimate the car sales in 2017. Let 2008 be represented by year 0. Round the coefficients of the regression equation to the thousandths place.

Year	Cars (millions)	Year	Cars (millions)	Year	Cars (millions)
2008	7.659	2011	6.769	2014	6.089
2009	7.761	2012	5.400	2015	7.243
2010	7.562	2013	5.635	2016	7.780

https://t.me/Agrade_10A

4 Multiply polynomials

Page : 97

Example/Exercise : 13 to 28

Multiply.

13. $3p(np - z)$

14. $4x(2x^2 + y)$

15. $-5(2c^2 - d^2)$

16. $x^2(2x + 9)$

17. $(a - 5)^2$

18. $(2x - 3)(3x - 5)$

19. $(x - y)(x^2 + 2xy + y^2)$

20. $(a + b)(a^3 - 3ab - b^2)$

21. $(x - y)(x + y)(2x + y)$

22. $(a + b)(2a + 3b)(2x - y)$

23. $(r - 2t)(r + 2t)$

24. $(3y + 4)(2y - 3)$


25. $(x^3 - 3x^2 + 1)(2x^2 - x + 2)$

26. $(4x^5 + x^3 - 7x^2 + 2)(3x - 1)$

Example 7

27. CONSTRUCTION A rectangular deck is built around a square pool. The pool has side length s. The length of the deck is 5 units longer than twice the side length of the pool. The width of the deck is 3 units longer than the side length of the pool. What is the area of the deck in terms of s?

28. VOLUME The volume of a rectangular prism is given by the product of its length, width, and height. A rectangular prism has a length of b^2 units, a width of a units, and a height of $ab + c$ units. What is the volume of the rectangular prism? Express your answer in simplified form.



https://t.me/Agrade_10A

5 Divide polynomials by using synthetic division

Page : 105

Example/Exercise : 11 to 16

Simplify using synthetic division.

11. $(3v^2 - 7v - 10)(v - 4)^{-1}$

12. $(3t^4 + 4t^3 - 32t^2 - 5t - 20)(t + 4)^{-1}$


13. $\dfrac{y^3 + 6}{y + 2}$

14. $\dfrac{2x^3 - x^2 - 18x + 32}{2x - 6}$

15. $(4p^3 - p^2 + 2p) \div (3p - 1)$

16. $(3c^4 + 6c^3 - 2c + 4)(c + 2)^{-1}$

https://t.me/Agrade_10A



6 Solve polynomial equations by graphing

Page : 121

Example/Exercise : 1 to 14

Use a graphing calculator to solve each equation by graphing. If necessary, round to the nearest hundredth

1. $\frac{2}{3}x^3 + x^2 - 5x = -9$

2. $x^3 - 9x^2 + 27x = 20$

3. $x^3 + 1 = 4x^2$

4. $x^6 - 15 = 5x^4 - x^2$

5. $\frac{1}{2}x^5 = \frac{1}{5}x^2 - 2$

6. $x^8 = -x^7 + 3$

Example 2


7. SHIPPING A shipping company will ship a package for $7.50 when the volume is no more than 15,000 cm^3. Grace needs to ship a package that is $3x - 5$ cm long, $2x$ cm wide, and $x + 20$ cm tall.

a. Write a polynomial equation to represent the situation.

b. Write and solve a system of equations.

c. What should the dimensions of the package be to have the maximum volume?

8. GARDEN A rectangular garden is 12 feet across and 16 feet long. It is surrounded by a border of mulch that is a uniform width, x. The maximum area for the garden, plus border, is 285 ft^2.



a. Write a polynomial equation to represent the situation.

b. Write and solve a system of equations.

c. What are the dimensions of the garden plus border?

9. PACKAGING A juice manufacturer is creating new cylindrical packaging. The height of the cylinder is to be 3 inches longer than the radius of the can. The cylinder is to have a volume of 628 cubic inches. Use 3.14 for π.

a. Write a polynomial equation to support the model.

b. Write and solve a system of equations.

c. What are the radius and height of the new packaging?

https://t.me/Agrade_10A

Mixed Exercises

Solve each equation. If necessary, round to the nearest hundredth.

10. $x^4 + 2x^3 = 7$ **11.** $x^4 - 15x^2 = -24$ **12.** $x^3 - 6x^2 + 4x = -6$ **13.** $x^4 - 15x^2 + x + 65 = 0$

14. BALLOON Treyvon is standing 9 yards from the base of a hill that has a slope of $\frac{3}{4}$. He throws a water balloon from a height of 2 yards. Its path is modeled by $h(x) = -0.1x^2 + 0.8x + 2$, where h is the height of the balloon in yards and x is the distance the balloon travels in yards.

a. Write a polynomial equation to represent the situation.

b. How far from Treyvon will the balloon hit the hill?



7 Solve polynomial equations by writing them in quadratic form and factoring

Page : 128

Example/Exercise : 16 to 27

Write each expression in quadratic form, if possible.

16. $x^4 + 12x^2 - 8$

17. $-15x^4 + 18x^2 - 4$

18. $8x^6 + 6x^3 + 7$

19. $5x^6 - 2x^2 + 8$

20. $9x^8 - 21x^4 + 12$

21. $16x^{10} + 2x^5 + 6$

Solve each equation.

22. $x^4 + 6x^2 + 5 = 0$


23. $x^4 - 3x^2 - 10 = 0$

24. $4x^4 - 14x^2 + 12 = 0$

25. $9x^4 - 27x^2 + 20 = 0$

26. $4x^4 - 5x^2 - 6 = 0$

27. $24x^4 + 14x^2 - 3 = 0$



https://t.me/Agrade_10A

8 Evaluate functions by using synthetic substitution.

Page : 140 + 141

Example/Exercise : 45 to 58

Mixed Exercises

45. **REASONING** Jessica evaluates the polynomial $p(x) = x^3 - 5x^2 + 3x + 5$ for a factor using synthetic substitution. Some of her work is shown below. Find the values of a and b.

a	1	-5	3	5
		11	66	759
	1	6	69	b

46. **STATE YOUR ASSUMPTION** The revenue from streaming music services in the United States from 2005 to 2016 can be modeled by $y = 0.26x^5 - 7.48x^4 + 79.20x^3 - 333.33x^2 + 481.68x + 99.13$, where x is the number of years since 2005 and y is the revenue in millions of U.S. dollars.

a. Estimate the revenue from streaming music services in 2010.

b. What might the revenue from streaming music services be in 2020? What assumption did you make to make your prediction?

47. **NATURAL EXPONENTIAL FUNCTION** The natural exponential function $y = e^x$ is a special function that is applied in many fields such as physics, biology, and economics. It is not a polynomial function, however for small values of x, the value of e^x is very closely approximated by the polynomial function $f(x) = \frac{1}{6}x^3 + \frac{1}{2}x^2 + x + 1$. Use synthetic substitution to determine $f(0.1)$.

Find values of k so that each remainder is 3.

48. $(x^2 - x + k) \div (x - 1)$

49. $(x^2 + kx - 17) \div (x - 2)$

50. $(x^2 + 5x + 7) \div (x + k)$

51. $(x^3 + 4x^2 + x + k) \div (x + 2)$

https://t.me/Agrade_10A

52. If $f(-8) = 0$ and $f(x) = x^3 - x^2 - 58x + 112$, find all the zeros of $f(x)$ and use them to graph the function.

53. **REASONING** If $P(1) = 0$ and $P(x) = 10x^3 + kx^2 - 16x + 3$, find all the factors of $P(x)$ and use them to graph the function. Explain your reasoning.

54. **GEOMETRY** The volume of a box with a square base is $V(x) = 2x^3 + 15x^2 + 36x + 27$. If the height of the box is $(2x + 3)$ units, what are the measures of the sides of the base in terms of x?

55. **SPORTS** The average value of a franchise in the National Football League from 2000 to 2018 can be modeled by $y = -0.037x^5 + 1.658x^4 - 24.804x^3 + 145.100x^2 - 207.594x + 482.008$, where x is the number of years since 2000 and y is the value in millions of U.S. dollars.

a. Copy and complete the table of estimated values. Round to the nearest million.

Year	2003	2012	2021	2025
Estimated Average Franchise Value (millions $)				

b. What assumption did you make to make your predictions? Do you think the assumption is valid? Explain.

56. **CONSTRUCT ARGUMENTS** Divide the polynomial function $f(x) = 4x^3 - 10x + 8$ by the factor $(x + 5)$. Then state and confirm the Remainder Theorem for this particular polynomial function and factor.

57. **REGULARITY** The polynomial function $P(x)$ is symmetric in the y-axis and contains the point $(2, -5)$. What is the remainder when $P(x)$ is divided by $(x + 2)$? Explain your reasoning.

58. **STRUCTURE** Verify the Remainder Theorem for the polynomial $x^2 + 3x + 5$ and the factor $(x - \sqrt{3})$ by first using synthetic division and then evaluating for $x = \sqrt{3}$.

https://t.me/Agrade_10A

9 Use the Factor Theorem to determine factors of polynomials

Page : 139

Example/Exercise : 23 to 30

Given a polynomial and one of its factors, find the remaining factors of the polynomial.

23. $x^3 - 3x + 2; x + 2$

25. $x^3 - x^2 - 10x - 8; x + 2$

27. $2x^3 + 17x^2 + 23x - 42; x - 1$

29. $x^4 + 2x^3 + 2x^2 - 2x - 3; x - 1$


24. $x^4 + 2x^3 - 8x - 16; x + 2$

26. $x^3 - x^2 - 5x - 3; x - 3$

28. $2x^3 + 7x^2 - 53x - 28; x - 4$

30. $x^3 + 2x^2 - x - 2; x + 2$

https://t.me/Agrade_10A



10 Use the Fundamental Theorem of Algebra to determine the numbers and types of roots of polynomial equations

Page : 149

Example/Exercise : 1 to 28

Example 1

Solve each equation. State the number and type of roots.

1. $5x + 12 = 0$

2. $x^2 - 4x + 40 = 0$

3. $x^5 + 4x^3 = 0$

4. $x^4 - 625 = 0$

5. $4x^2 - 4x - 1 = 0$

6. $x^5 - 81x = 0$

7. $2x^2 + x - 6 = 0$

8. $4x^2 + 1 = 0$

9. $x^3 + 1 = 0$

10. $2x^2 - 5x + 14 = 0$

11. $-3x^2 - 5x + 8 = 0$

12. $8x^3 - 27 = 0$

13. $16x^4 - 625 = 0$

14. $x^3 - 6x^2 + 7x = 0$

15. $x^5 - 8x^3 + 16x = 0$

16. $x^5 + 2x^3 + x = 0$

https://t.me/Agrade_10A

Example 2

State the possible number of positive real zeros, negative real zeros, and imaginary zeros of each function.

17. $g(x) = 3x^3 - 4x^2 - 17x + 6$

19. $f(x) = x^3 - 8x^2 + 2x - 4$

21. $q(x) = x^4 + 7x^2 + 3x - 9$

23. $f(x) = x^4 - 5x^3 + 2x^2 + 5x + 7$

25. $f(x) = -3x^5 + 5x^4 + 4x^2 - 8$

27. $f(x) = 4x^6 - 5x^4 - x^2 + 24$

18. $h(x) = 4x^3 - 12x^2 - x + 3$

20. $p(x) = x^3 - x^2 + 4x - 6$


22. $f(x) = x^4 - x^3 - 5x^2 + 6x + 1$

24. $f(x) = 2x^3 - 7x^2 - 2x + 12$

26. $f(x) = x^4 - 2x^2 - 5x + 19$

28. $f(x) = -x^5 + 14x^3 + 18x - 36$

https://t.me/Agrade_10A



11 Determine the numbers and types of roots of polynomial equations, find zeros, and use zeros to graph polynomial functions

Page : 150

Example/Exercise : 29 to 45

Example 3

Find all of the zeros of each function and use them to sketch a rough graph.

29. $h(x) = x^3 - 5x^2 + 5x + 3$

30. $g(x) = x^3 - 6x^2 + 13x - 10$

31. $h(x) = x^3 + 4x^2 + x - 6$

32. $q(x) = x^3 + 3x^2 - 6x - 8$

33. $g(x) = x^4 - 3x^3 - 5x^2 + 3x + 4$

34. $f(x) = x^4 - 21x^2 + 80$

35. $f(x) = x^3 + 7x^2 + 4x - 12$

36. $f(x) = x^3 + x^2 - 17x + 15$

37. $f(x) = x^4 - 3x^3 - 3x^2 - 75x - 700$

38. $f(x) = x^4 + 6x^3 + 73x^2 + 384x + 576$


39. $f(x) = x^4 - 8x^3 + 20x^2 - 32x + 64$

40. $f(x) = x^5 - 8x^3 - 9x$


Example 4

Write a polynomial that could be represented by each graph.


41.



42.



43.



https://t.me/Agrade_10A

Example 5

44. FISH Some fish jump out of the water. When a fish is out of the water, its location is above sea level. When a fish dives back into the water, its location is below sea level. A biologist can use polynomial functions to model the location of fish compared to sea level. A biologist noticed that a fish is at sea level at −3, −2, −1, 1, 2, and 3 minutes from noon. Graph a polynomial function that could represent the location of the fish compared to sea level y, in centimeters, x seconds from noon.

45. BUSINESS After introducing a new product, a company's profit is modeled by a polynomial function. In 2012 and 2017, the company's profit on the product was $0. Graph a polynomial function that could represent the amount of profit $p(x)$, in thousands of dollars, x years since 2010.

12 Find compositions of functions

Page : 164

Example/Exercise : 9 to 18

Example 4

For each pair of functions, find $f \circ g$ and $g \circ f$, if they exist. State the domain and range for each.

9. $f = \{(-8, -4), (0, 4), (2, 6), (-6, -2)\}$
$g = \{(4, -4), (-2, -1), (-4, 0), (6, -5)\}$

10. $f = \{(-7, 0), (4, 5), (8, 12), (-3, 6)\}$
$g = \{(6, 8), (-12, -5), (0, 5), (5, 1)\}$

11. $f = \{(5, 13), (-4, -2), (-8, -11), (3, 1)\}$
$g = \{(-8, 2), (-4, 1), (3, -3), (5, 7)\}$

12. $f = \{(-4, -14), (0, -6), (-6, -18), (2, -2)\}$
$g = \{(-6, 1), (-18, 13), (-14, 9), (-2, -3)\}$

Example 5


Find $[f \circ g](x)$ and $[g \circ f](x)$. State the domain and range for each.

13. $f(x) = 2x$
$g(x) = x + 5$

14. $f(x) = -3x$
$g(x) = -x + 8$

15. $f(x) = x^2 + 6x - 2$
$g(x) = x - 6$

16. $f(x) = 2x^2 - x + 1$
$g(x) = 4x + 3$



https://t.me/Agrade_10A

Example 6


17. **USE A MODEL** Mr. Rivera wants to purchase a riding lawn mower, which is on sale for 15% off the original price. The sales tax in his area is 6.5%. Let x represent the original cost of the lawn mower. Write two functions representing the price of the lawn mower $p(x)$ after the discount and the price of the lawn mower $t(x)$ after sales tax. Write a composition of functions that represents the price of the riding lawn mower. How much will Mr. Rivera pay for a riding lawn mower that originally cost $1350?

18. **REASONING** A sporting goods store is offering a 20% discount on shoes. Mariana also has a $5 off coupon that can be applied to her purchase. She is planning to buy a pair of shoes that originally costs $89. Will the final price be lower if the discount is applied before the coupon or if the coupon is applied before the discount? Justify your response.

Mixed Exercises

19. **REASONING** A bookstore that offers a 12% membership discount is currently offering 20% off each customer's total purchase when they spend more than $50. If Keshawn has $78 of books, should he request that the membership discount or the 20% off discount be applied first? Justify your response.

https://t.me/Agrade_10A



13 Verify that two relations are inverses by using compositions.

Page : 172

Example/Exercise : 17 to 24

Example 5

Determine whether each pair of functions are inverse functions. Write *yes* or *no*.

17. $f(x) = x - 1$

$g(x) = 1 - x$

18. $f(x) = 2x + 3$

$g(x) = \frac{1}{2}(x - 3)$

19. $f(x) = 5x - 5$

$g(x) = \frac{1}{5}x + 1$

20. $f(x) = 2x$

$g(x) = \frac{1}{2}x$

21. $h(x) = 6x - 2$

$g(x) = \frac{1}{6}x + 3$

22. $f(x) = 8x - 10$

$g(x) = \frac{1}{8}x + \frac{5}{4}$

Example 6

23. **GEOMETRY** The formula for the volume of a right circular cone with a height of 2 feet is $V = \frac{2}{3}\pi r^2$. Determine whether $r = \sqrt{\frac{3V}{2\pi}}$ is the inverse of the original function.

24. **GEOMETRY** The formula for the area of a trapezoid is $A = \frac{h}{2}(a + b)$. Determine whether $h = 2A - (a + b)$ is the inverse of the original function.

https://t.me/Agrade_10A

14 Simplify expressions in exponential or radical form.

Page : 179 + 180

Example/Exercise : 13 to 30

Examples 3

Write each expression in radical form, or write each radical in exponential form.

13. $8^{\frac{1}{5}}$

14. $4^{\frac{2}{7}}$

15. $(x^3)^{\frac{3}{2}}$

16. $\sqrt{17}$

17. $\sqrt[3]{5xy^2}$


18. $\sqrt[4]{625x^2}$

Examples 4

19. ORBITING The distance in millions of miles a planet is from the Sun in terms of t, the number of Earth days it takes for the planet to orbit the Sun, can be modeled by the expression $\sqrt[3]{6t^2}$. Write the expression in exponential form.

20. DEPRECIATION The depreciation rate is calculated by the expression $1-\left(\frac{T}{P}\right)^{\frac{1}{n}}$, where n is the age of the item in years, T is the resale price in dollars, and P is the original price in dollars. Write the expression in radical form for an 8 year old car that was originally purchased for $52,425.

https://t.me/Agrade_10A



https://t.me/Agrade_10A

Example 5

Evaluate each expression.

21. $27^{\frac{1}{3}}$

22. $256^{\frac{1}{4}}$

23. $16^{-\frac{3}{2}}$

24. $81^{-\frac{1}{4}}$

25. $1024^{\frac{3}{5}}$

26. $16^{-\frac{5}{4}}$

Example 6

Simplify each expression.

27. $x^{\frac{1}{3}} \cdot x^{\frac{2}{5}}$

28. $a^{\frac{4}{9}} \cdot a^{\frac{1}{4}}$

29. $b^{-\frac{3}{4}}$

30. $y^{-\frac{4}{5}}$

15 Find inverses of relations

Page : 171 +172

Example/Exercise : 1 to 16

Example 1

For each polygon, find the inverse of the relation. Then, graph both the original relation and its inverse.

1. $\triangle MNP$ with vertices at {(−8, 6), (6, −2), (4, −6)}

2. $\triangle XYZ$ with vertices at {(7, 7), (4, 9), (3, −7)}

3. trapezoid *QRST* with vertices at {(8, −1), (−8, −1), (−2, −8), (2, −8)}

4. quadrilateral *FGHJ* with vertices at {(4, 3), (−4, −4), (−3, −5), (5, 2)}

Examples 2 and 3

Find the inverse of each function. Then graph the function and its inverse. If necessary, restrict the domain of the inverse so that it is a function.

5. $f(x) = x + 2$

6. $g(x) = 5x$

7. $f(x) = -2x + 1$

8. $h(x) = \frac{x - 4}{3}$

9. $f(x) = -\frac{5}{3}x - 8$

10. $g(x) = x + 4$

11. $f(x) = 4x$

12. $f(x) = -8x + 9$

13. $f(x) = 5x^2$


14. $h(x) = x^2 + 4$

16. **CRYPTOGRAPHY** DeAndre is designing a code to send secret messages. He assigns each letter of the alphabet to a number, where A = 1, B = 2, C = 3, and so on. Then he uses $c(x) = 4x - 9$ to create the secret code.

a. Find the inverse of $c(x)$, and describe its meaning.

b. Make tables of $c(x)$ and $c^{-1}(x)$. Use the table to decipher the message: 15, 75, 47, 3, 71, 27, 51, 47, 67.

https://t.me/Agrade_10A



16 Divide polynomials by using long division

Page : 105

Example/Exercise : 1 to 10

Example 1

Simplify each expression.

1. $\frac{15y^3 + 6y^2 + 3y}{3y}$

2. $(4f^5 - 6f^4 + 12f^3 - 8f^2)(4f^2)^{-1}$

3. $(6j^2k - 9jk^2) \div (3jk)$

4. $(4a^2h^2 - 8a^3h + 3a^4) \div (2a^2)$

Examples 2 and 3

Simplify by using long division.

5. $(n^2 + 7n + 10) \div (n + 5)$

6. $(d^2 + 4d + 3)(d + 1)^{-1}$

7. $(2t^2 + 13t + 15) \div (t + 6)$

8. $(6y^2 + y - 2)(2y - 1)^{-1}$

9. $(4g^2 - 9) \div (2g + 3)$

10. $(2x^2 - 5x - 4) \div (x - 3)$

https://t.me/Agrade_10A

17 Solve polynomial equations by factoring

Page : 127

Example/Exercise : 1 to 15

Examples 1-3

Factor completely. If the polynomial is not factorable, write *prime*.

1. $8c^3 - 27d^3$

2. $64x^4 + xy^3$

3. $a^8 - a^2b^6$

4. $x^6y^3 + y^9$

5. $18x^6 + 5y^6$

6. $w^3 - 2y^3$

7. $gx^2 - 3hx^2 - 6fy^2 - gy^2 + 6fx^2 + 3hy^2$

8. $12ax^2 - 20cy^2 - 18bx^2 - 10ay^2 + 15by^2 + 24cx^2$

9. $a^3x^2 - 16\,a^3x + 64a^3 - b^3x^2 + 16b^3x - 64b^3$

10. $8x^5 - 25y^3 + 80x^4 - x^2y^3 + 200x^3 - 10xy^3$

Example 4

Solve each equation.

11. $a^3 - 9a^2 + 14a = 0$

12. $x^3 = 3x^2$


13. $t^4 - 3t^3 - 40t^2 = 0$

14. $b^3 - 8b^2 + 16b = 0$

https://t.me/Agrade_10A

Example 5

15. FURNITURE A modern table is constructed with four legs made of concrete cubes with cube-shaped notches.



a. Define one or more variables and write an expression that represents the volume of one table leg.

b. Marisol determined that she will use 12,636 cubic inches of concrete to construct the four table legs. If the sides of the notches are 40% of the sides of the legs, how long are the sides of the legs?

18 Find sums, differences, products, and quotients of functions

Page : 163	Page : 166
Example/Exercise : 1 to 8	Example/Exercise : 38 to 44

Examples 1 and 2

Find $(f + g)(x)$, $(f - g)(x)$, $(f \cdot g)(x)$, and $\left(\frac{f}{g}\right)(x)$ for each $f(x)$ and $g(x)$.

1. $f(x) = 2x$

$g(x) = -4x + 5$

2. $f(x) = x - 1$

$g(x) = 5x - 2$

3. $f(x) = x - 2$

$g(x) = 2x - 7$

4. $f(x) = x^2$

$g(x) = x - 5$

5. $f(x) = -x^2 + 6$

$g(x) = 2x^2 + 3x - 5$

6. $f(x) = 3x^2 - 4$

$g(x) = x^2 - 8x + 4$

https://t.me/Agrade_10A

Example 3

7. **FINANCE** Trevon opens a checking account that he only uses to pay fixed bills, which are expenses that are the same each month, such as car loans or rent. The checking account has an initial balance of $1750 and Trevon deposits $925 each month. The balance of the account can be modeled by $a(x) = 1750 + 925x$, where x is the number of months since the account was opened. The total of Trevon's fixed bills is modeled by $b(x) = 840x$. Define and graph the function that represents the account balance after he pays his bills.

a. Identify and write a new function to represent the account balance.

b. Graph the combined function.


8. **BASEBALL** A coach is ordering custom practice T-shirts and game jerseys for each of the team members. The coach orders T-shirts from a local shop that charges $7.50 for each, plus a $35 initial printer fee. The cost of the T-shirts is modeled by $t(x) = 7.5x + 35$, where x is the number of team members. He orders jerseys online, which cost $18 each with $20 shipping. The cost of the jerseys is modeled by $j(x) = 18x + 20$. Define and graph the function that represents the total cost of the T-shirts and jerseys.

a. Identify and write a new function to represent total cost.

b. Graph the combined function.

38. **REASONING** The National Center for Education Statistics reports data showing that since 2006, college enrollment for men in thousands can be modeled by $f(x) = 389x + 7500$, where x represents the number of years since 2006. Similarly, enrollment for women can be modeled by $g(x) = 480x + 10{,}075$. Write a function for $(f + g)(x)$ and interpret what it represents.

https://t.me/Agrade_10A



39. **STRUCTURE** The table shows various values of functions $f(x)$, $g(x)$, and $h(x)$.

x	-1	0	1	2	3	4
$f(x)$	7	-2	0	2	4	1
$g(x)$	-3	-4	-5	0	1	1
$h(x)$	0	4	1	1	5	5

Use the table to find the following values:

a. $(f + g)(-1)$ **b.** $(h - g)(0)$ **c.** $(f \cdot h)(4)$

d. $\left(\frac{f}{g}\right)(3)$ **e.** $\left(\frac{g}{h}\right)(2)$ **f.** $\left(\frac{g}{f}\right)(1)$

40. **PERSEVERE** If $(f + g)(3) = 5$ and $(f \cdot g)(3) = 6$, find $f(3)$ and $g(3)$. Explain.

41. **CREATE** Write two functions $f(x)$ and $g(x)$ such that $(f \circ g)(4) = 0$.

42. **FIND THE ERROR** Chris and Tobias are finding $(f \circ g)(x)$, where $f(x) = x^2 + 2x - 8$ and $g(x) = x^2 + 8$. Is either of them correct? Explain your reasoning.

Chris

$$\begin{aligned}(f \circ g)(x) &= f[g(x)] \\ &= (x^2 + 8)^2 + 2x - 8 \\ &= x^4 + 16x^2 + 64 + 2x - 8 \\ &= x^4 + 16x^2 + 2x + 58\end{aligned}$$

Tobias

$$\begin{aligned}(f \circ g)(x) &= f[g(x)] \\ &= (x^2 + 8)^2 + 2(x^2 + 8) - 8 \\ &= x^4 + 16x^2 + 64 + 2x^2 + 16 - 8 \\ &= x^4 + 18x^2 + 72\end{aligned}$$

43. **PERSEVERE** Given $f(x) = \sqrt{x^3}$ and $g(x) = \sqrt{x^6}$, determine each domain.

a. $g(x) \cdot g(x)$ **b.** $f(x) \cdot f(x)$

44. **ANALYZE** State whether the following statement is *sometimes*, *always*, or *never* true. Justify your argument.

The domain of two functions $f(x)$ and $g(x)$ that are composed $g[f(x)]$ is restricted by the domain of $g(x)$.

https://t.me/Agrade_10A

19 Expand powers of binomials by using Pascal's Triangle and the Binomial Theorem

Page : 111

Example/Exercise : 1 to 16

Example 1

Use Pascal's triangle to expand each binomial.

1. $(x - y)^3$

2. $(a + b)^4$

3. $(g - h)^4$

4. $(m + 1)^4$

5. $(y - z)^6$

6. $(d + 2)^8$

Example 2

7. **BAND** A school band went to 4 competitions during the year and received a superior rating 2 times. If the band is as likely to receive a superior rating as to not receive a superior rating, find the probability of this outcome by expanding $(s + n)^4$. Round to the nearest percent if necessary.

8. **BASKETBALL** Oliver shot 8 free throws at practice, making 6 free throws and missing 2 free throws. If Oliver is equally likely to make a free throw as he is to miss a free throw, find the probability of this outcome by expanding $(m + n)^8$. Round to the nearest percent if necessary.

https://t.me/Agrade_10A

https://t.me/Agrade_10A

Example 3

Expand each binomial.

9. $(3x + 4y)^5$

10. $(2c - 2d)^7$

11. $(8h - 3j)^4$

12. $(4a + 3b)^6$

Mixed Exercises

Expand each binomial.

13. $\left(x + \frac{1}{2}\right)^5$

14. $\left(x - \frac{1}{3}\right)^4$

15. $\left(2b + \frac{1}{4}\right)^5$

16. $\left(3c + \frac{1}{3}d\right)^3$

20 Simplify expressions involving radicals and rational exponents

Page : 179

Example/Exercise : 1 to 12

Examples 1 and 2

Simplify.

1. $\pm\sqrt{121x^4y^{16}}$

2. $\pm\sqrt{225a^{16}b^{36}}$

3. $\pm\sqrt{49x^4}$

4. $-\sqrt{16c^4d^2}$

5. $-\sqrt{81a^{16}b^{20}c^{12}}$

6. $-\sqrt{400x^{32}y^{40}}$

7. $\sqrt[4]{16(x-3)^{12}}$

8. $\sqrt[8]{x^{16}y^8}$

9. $\sqrt[4]{81(x-4)^4}$

10. $\sqrt[6]{x^{18}}$

11. $\sqrt[4]{a^{12}}$

12. $\sqrt[3]{a^{12}}$

الحمد لله

